

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Review date: 29/08/2022 Supersedes version of: 24/01/2022 Version: 5.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : GREEN'R INDUS

Product code : 1140

Type of product : Detergent

Product group : Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Alkaline cleaner

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Christeyns France 31 rue de la Maladrie 44120 VERTOU

France

T +33 (0)240 80 27 27 - F +33 (0)240 03 09 73 health-security@christeyns.fr - www.christeyns.com

#### Distributor

Christeyns UK Ltd. Rutland Street GB– Bradford BD4 7EA United Kingdom

T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43 info@christeyns.be - www.christeyns.com

#### Distributor

Christeyns Food Hygiene Ltd. Ltd 2, Cameron Court, Winwick Quay GB– WA2 8RE Warrington – Cheshire United Kingdom

T +44 (0)1925 23 46 96 - F +44 (0)1925 23 46 93 <u>UK-foodinfo@christeyns.com</u> - <u>www.christeyns.com</u>

### Distributor

Casoria Company Ltd. Ltd 1 Farnham Street IE- H12 A9K0 Cavan - Co. Cavan Ireland T 00353 49 4361869 - F 00353 49 436 1869 sds@casoria.ie - www.casoria.ie

#### Distributor

Christeyns Technologies Ltd.
Mazars, Block 3, Harcout Centre, Harcourt Road
IE- 2 Dublin
Ireland
T +353 1 8146022

### 1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290
Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318
Full text of H- and EUH-statements: see section 16

# Adverse physicochemical, human health and environmental effects

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

CLP Signal word : Danger

Contains : Poly(oxy-1,2-ethanediyl), alpha-(2-propylheptyl)-omega-hydroxy-, hexyl D-glucosid,

Potassium hydroxide

Hazard statements (CLP) : H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P234 - Keep only in original packaging.

P280 - Wear protective clothing, eye protection, face protection, protective gloves. P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Immediately call a POISON CENTER or doctor.

P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or doctor.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Isotridecanol, ethoxylated (69011-36-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Poly(oxy-1,2-ethanediyl), alpha-(2-propylheptyl)-omega-hydroxy- (160875-66-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to
			Regulation (EC) No. 1272/2008 [CLP]
Sodium cumenesulphonate	CAS-no: 15763-76-5 Einecs nr: 239-854-6 REACH-no: 01-2119489411- 37	5 – 10	Eye Irrit. 2, H319
Diethylene glycol monobutyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-no: 112-34-5 Einecs nr: 203-961-6 EG annex nr: 603-096-00-8 REACH-no: 01-2119475104-	3 – 5	Eye Irrit. 2, H319
Isotridecanol, ethoxylated	CAS-no: 69011-36-5 Einecs nr: 500-241-6 REACH-no: 02-2119552461- 55	3 – 5	Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Poly(oxy-1,2-ethanediyl), alpha-(2-propylheptyl)-omega-hydroxy-	CAS-no: 160875-66-1 Einecs nr: 605-233-7 REACH-no: exemption polymer	3 – 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Potassium hydroxide substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, PL, PT, SE, IS, NO, CH)	CAS-no: 1310-58-3 Einecs nr: 215-181-3 EG annex nr: 019-002-00-8 REACH-no: 01-2119487136- 33	3 – 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290
hexyl D-glucosid	CAS-no: 54549-24-5 Einecs nr: 259-217-6 REACH-no: 01-2119492545- 29	≥1-<3	Eye Dam. 1, H318
Sodium hydroxide substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, PL, PT, SE, SK, IS, NO, CH)	CAS-no: 1310-73-2 Einecs nr: 215-185-5 EG annex nr: 011-002-00-6 REACH-no: 01-2119457892- 27	<1	Met. Corr. 1, H290 Skin Corr. 1A, H314

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Poly(oxy-1,2-ethanediyl), alpha-(2-propylheptyl)-omega-hydroxy-	CAS-no: 160875-66-1 Einecs nr: 605-233-7 REACH-no: exemption polymer	( 1 ≤C ≤ 10) Eye Irrit. 2, H319 ( 10 <c 1,="" 100)="" dam.="" eye="" h318<="" td="" ≤=""></c>
Potassium hydroxide	CAS-no: 1310-58-3 Einecs nr: 215-181-3 EG annex nr: 019-002-00-8 REACH-no: 01-2119487136- 33	(0.5 ≤C < 2) Eye Irrit. 2, H319 (0.5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314
Sodium hydroxide	CAS-no: 1310-73-2 Einecs nr: 215-185-5 EG annex nr: 011-002-00-6 REACH-no: 01-2119457892- 27	(0.5 ≤C < 2) Eye Irrit. 2, H319 (0.5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General advice : In case of doubt or persistent symptoms, consult always a physician.

Inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing.

Skin contact : Take off contaminated clothing and wash it before reuse. Wash skin with plenty of water

and soap.

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion : Rinse mouth with water, do not induce vomiting, call a doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation: No data available.Acute effects skin: Causes severe burns.Acute effects eyes: Causes serious eye damage.

Acute effects oral route : No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Foam. Water spray. Dry powder.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Combustion products may include the following: carbon oxides (CO, CO2) (carbon

monoxide, carbon dioxide) nitrogen oxides (NO, NO2 etc.).

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 5.3. Advice for firefighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Prevent fire fighting water

from entering the environment.

Protection during firefighting : Use a self-contained breathing apparatus and also a protective suit.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do

not breathe vapours. Avoid contact with skin and eyes. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Use self-contained breathing apparatus and chemically protective clothing.

Emergency procedures : Stop leak if safe to do so. Prevent from entering sewers, basements and workpits, or any

place where its accumulation can be dangerous.

### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth.

Methods for cleaning up : Clear up rapidly by scoop or vacuum. Flush residue with large amounts of water.

Other information : Dispose of in accordance with relevant local regulations.

#### 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Emergency eye wash fountains and safety

showers should be available in the immediate vicinity of any potential exposure. Avoid

contact with skin and eyes. Wear personal protective equipment.

: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Always wash hands

after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Protect from sunlight. Store at ambient temperature.

Storage temperature  $: 5 - 40 \, ^{\circ}\text{C}$  Material(s) to avoid : Strong acids.

Storage area : Store in a well-ventilated place.

### 7.3. Specific end use(s)

Hygiene measures

No additional information available

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Diethylene glycol monobutyl ether (112-34-5)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	2-(2-Butoxyethoxy)ethanol	
IOEL TWA	67.5 mg/m³	
IOEL TWA [ppm]	10 ppm	
IOEL STEL	101.2 mg/m³	
IOEL STEL [ppm]	15 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Ireland - Occupational Exposure Limits	Ireland - Occupational Exposure Limits	
Local name	2-(2-Butoxyethoxy)ethanol	
OEL TWA [1]	67.5 mg/m³	
OEL TWA [2]	10 ppm	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Diethylene glycol monobutyl ether (112-34-5)		
OEL STEL	101.2 mg/m³	
OEL STEL [ppm]	15 ppm	
Remark	IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2021	
United Kingdom - Occupational Exposure Limits		
Local name	2-(2-Butoxyethoxy)ethanol	
WEL TWA (OEL TWA) [1]	67.5 mg/m³	
WEL TWA (OEL TWA) [2]	10 ppm	
WEL STEL (OEL STEL)	101.2 mg/m³	
WEL STEL (OEL STEL) [ppm]	15 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Potassium hydroxide (1310-58-3)		
Ireland - Occupational Exposure Limits		
Local name	Potassium hydroxide	
OEL STEL	2 mg/m³	
Regulatory reference	Chemical Agents Code of Practice 2021	
United Kingdom - Occupational Exposure Limits		
Local name	Potassium hydroxide	
WEL STEL (OEL STEL)	2 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Sodium hydroxide (1310-73-2)		
Ireland - Occupational Exposure Limits		
Local name	Sodium hydroxide	
OEL STEL	2 mg/m³	
Regulatory reference	Chemical Agents Code of Practice 2021	
United Kingdom - Occupational Exposure Limits		
Local name	Sodium hydroxide	
WEL STEL (OEL STEL)	2 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

# 8.2.1. Appropriate engineering controls

No additional information available

# 8.2.2. Personal protection equipment

# 8.2.2.1. Eye and face protection

# Eye protection:

Safety glasses. EN 166

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.2. Skin protection

#### Protective equipment:

Wear suitable protective clothing minimum (EN 13034) Type 6 equipment

#### Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent). Time of penetration is to be checked with the glove producer. Nitrile rubber gloves

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No personal breathing protective equipment is normally required. In case of inadequate ventilation wear respiratory protection. Breathing apparatus with combined vapor/particle filter (EN 141). Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Physical state/form : Liquid.
Odour : Slight.
Odour threshold : Not available

Melting point/range : Not determined as it is not relevant for the characterization of the product
Freezing point : Not determined as it is not relevant for the characterization of the product
Softening point : Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range : Not determined as it is not relevant for the characterization of the product

Flammability : Not applicable (aqueous liquid)

Explosive properties : Constituents do not contain chemical groups associated with explosivity.

Explosive limits : Not available

Lower explosion limit : Not determined as it is not relevant for the characterization of the product
Upper explosion limit : Not determined as it is not relevant for the characterization of the product
Flash point : Not determined as it is not relevant for the characterization of the product
Autoignition temperature : Not determined as it is not relevant for the characterization of the product
Decomposition temperature : Not determined as it is not relevant for the characterization of the product

pH : 13 – 14
pH solution : 11.3 (1 g/L)
Viscosity, kinematic : Not available
Solubility : Water: 100 %
Partition coefficient n-octanol/water (Log Kow) : Not available

Log Pow : Not determined as it is not relevant for the characterization of the product

Vapour pressure : Without VOC (volatile organic compounds)

Vapour pressure at 50 °C : Not available Density :  $1.095 \text{ g/cm}^3$  Relative density : 1.08 - 1.1

Relative vapour density at 20 °C : Without VOC (volatile organic compounds)

Particle characteristics : Not applicable

#### 9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

No additional information available

# 9.2.2. Other safety characteristics

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

29/08/2022 (Revision date) EN (English) 6/12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Nitrogen oxides.

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Isotridecano	l, ethoxylated	(69011-36-5)	

LD50 oral rat > 2000 mg/kg

## Poly(oxy-1,2-ethanediyl), alpha-(2-propylheptyl)-omega-hydroxy- (160875-66-1)

LD50 oral rat 500 – 2000 mg/kg

### Sodium cumenesulphonate (15763-76-5)

LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	≥ 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity)

## Diethylene glycol monobutyl ether (112-34-5)

LD50 oral rat	6600 mg/kg bodyweight
LD50 dermal rabbit	2764 mg/kg bw/day
LC50 Inhalation - Rat (Dust/Mist)	> 196 mg/l

### Potassium hydroxide (1310-58-3)

LD50 oral rat	333 mg/kg

Skin corrosion/irritation : Causes severe skin burns.

pH: 13 - 14

### Isotridecanol, ethoxylated (69011-36-5)

pH ± 7

### Poly(oxy-1,2-ethanediyl), alpha-(2-propylheptyl)-omega-hydroxy- (160875-66-1)

pH ± 7

Serious eye damage/irritation : Causes serious eye damage.

pH: 13 – 14

### Isotridecanol, ethoxylated (69011-36-5)

pH ± 7

### Poly(oxy-1,2-ethanediyl), alpha-(2-propylheptyl)-omega-hydroxy- (160875-66-1)

pH ± 7

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

### Sodium cumenesulphonate (15763-76-5)

NOAEL (chronic, oral, animal/female, 2 years)

≥ 60 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453
(Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:

Reproductive toxicity : Not classified STOT-single exposure : Not classified

29/08/2022 (Revision date) EN (English) 7/12

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-repeated exposure : Not classified

Sodium cumenesulphonate (15763-76-5)	
NOAEL (oral, rat, 90 days)	763 – 3534 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Aspiration hazard :	Not classified

11.2. Information on other hazards

# No additional information available

# **SECTION 12: Ecological information** 12.1. Toxicity

: Not classified according 1272/2008/CE. Ecology - general

Hazardous to the aquatic environment, short-term

Sodium cumenesulphonate (15763-76-5)

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

Isotridecanol, ethoxylated (69011-36-5)		
EC50 - Crustacea [1] 1 – 10 mg/l		
Poly(oxy-1,2-ethanediyl), alpha-(2-propylheptyl)-omega-hydroxy- (160875-66-1)		
EC50 - Crustacea [1] ≥ 10 (10 – 100) mg/l		
hexyl D-glucosid (54549-24-5)		
LC50 - Fish [1]	≥ 100 mg/l	

, , ,	
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	> 100 mg/l
EC50 96h - Algae [1]	≥ 758 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
FrCEO algae	100 mg/l

|--|

Diethylene glycol monobutyl ether (112-34-5)		
LC50 - Fish [1]	> 100 mg/l	
EC50 - Crustacea [1]	> 1000 mg/l	
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea	
EC50 - Other aquatic organisms [2]	> 100 mg/l	
ErC50 algae	> 100 mg/l	

Potassium hydroxide (1310-58-3)		
LC50 - Fish [1]	80 mg/l	
EC50 - Crustacea [1]	30 – 1000 mg/l (OECD 202)	

Sodium hydroxide (1310-73-2)	
LC50 - Fish [1]	> 35 mg/l
EC50 - Crustacea [1]	40.4 mg/l (Ceriodaphnia)
EC50 - Other aquatic organisms [1]	> 33 mg/l waterflea

# 12.2. Persistence and degradability

12.2. Fersisterice and degradability	
GREEN'R INDUS	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Isotridecanol, ethoxylated (69011-36-5)	
Biodegradation	> 90 %

29/08/2022 (Revision date) EN (English) 8/12

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Diethylene glycol monobutyl ether (112-34-5)		
Persistence and degradability	Readily biodegradable.	
Sodium hydroxide (1310-73-2)		
Persistence and degradability	Not applicable.	
12.3. Bioaccumulative potential		
GREEN'R INDUS		
Log Pow	Not determined as it is not relevant for the characterization of the product	
hexyl D-glucosid (54549-24-5)		
Log Pow	1.72 – 1.77	
Diethylene glycol monobutyl ether (112-34-5)		
Log Pow	0.56	
Bioaccumulative potential	No bioaccumulation.	
Potassium hydroxide (1310-58-3)		
Log Pow	0.75	
Sodium hydroxide (1310-73-2)		
Log Pow	-3.88	
Bioaccumulative potential	No bioaccumulation.	

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

- : Dispose of this material and its container at hazardous or special waste collection point.
- : a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste. Refer to

manufacturer/supplier for information on recovery/recycling.

Waste / unused products : Dispose of this material and its container at hazardous or special waste collection point.

European List of Waste (LoW) code : 20 01 29\* - detergents containing dangerous substances

**HP Code** : HP8 - "Corrosive:" waste which on application can cause skin corrosion.

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA	
14.1. UN number or ID number			
UN 1814	UN 1814	UN 1814	
14.2. UN proper shipping name			
POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION	Potassium hydroxide solution	
Transport document description			
UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II, (E)	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II	UN 1814 Potassium hydroxide solution, 8, II	
14.3. Transport hazard class(es)			
8	8	8	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	
8	8	8	
14.4. Packing group			
II	II	II	
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	
No supplementary information available		1	

# 14.6. Special precautions for user

### **Overland transport**

Classification code (ADR) : C5 Limited quantities (ADR) : 11

Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions : T7

(ADR)

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Hazard identification number (Kemler No.) : 80

Orange plates

80 1814

: TP2

Tunnel code : E
EAC code : 2R

### Transport by sea

Limited quantities (IMDG) : 1 L
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02

### Air transport

PCA Limited quantities (IATA) : Y840
PCA limited quantity max net quantity (IATA) : 0.5L
PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
Special provisions (IATA) : A3, A803

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Other information, restriction and prohibition : Not affected by the conditions of restriction \_ ANNEXE XVII. regulations

# **REACH Annex XVII (Restriction List)**

Contains no REACH substances with Annex XVII restrictions

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **REACH Annex XIV (Authorisation List)**

Contains no REACH Annex XIV substances

#### **REACH Candidate List (SVHC)**

Contains no substance on the REACH candidate list

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

#### **Detergent Regulation (648/2004)**

Labelling of contents	
Component	%
non-ionic surfactants, anionic surfactants	5-15%

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

#### **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	Regulatory framework	Modified	

Other information

: It is recommended to pass the information of this safety data sheet, eventually in an appropriated form, to the users. Such information is actually to be best of our knowledge and believes accurate as reliable. This information relates to the specific material designated and may not be valid in combination with other product(s). EC Regulation 1272/2008 and its amendments.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.