

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 24/09/2018 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

: GRACEMATE POPPY - VANILLA Product name

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture : Air freshener

1.2.2. Uses advised against

No additional information available

Details of the supplier of the safety data sheet

TRUCK SHOP B.V. De Corridor 12E

3621 ZB BREUKELEN - THE NETHERLANDS

T+31-346-284848 michel@truck-shop.nl

1.4. **Emergency telephone number**

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital, Guy's & St Thomas' Hospital Trust	Dudley Road B18 7QH Birmingham	0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)	

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

H225 Flam. Liq. 2 H319 Eye Irrit. 2 H412 Aquatic Chronic 3

Full text of hazard classes and H-statements: see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLF

Hazard pictograms (CLP)





GHS02

GHS07

Signal word (CLP) : Danger

: H225 - Highly flammable liquid and vapour. Hazard statements (CLP)

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking.

P403+P235 - Store in a well-ventilated place. Keep cool.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

FUH-statements : EUH208 - Contains Limonene(5989-27-5). May produce an allergic reaction.

Other hazards

No additional information available

1/8 EN (English) 24/09/2018

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	51 - 55	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Diethyl phthalate substance with national workplace exposure limit(s) (GB)	(CAS-No.) 84-66-2 (EC-No.) 201-550-6	5 - 10	Not classified
(R)-p-mentha-1,8-diene;Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7	< 0,5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	(C >= 50) Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

- : In all cases of doubt, or when symptoms persist, seek medical attention. If possible show this sheet, if not available show packaging or label.
- First-aid measures after inhalation
- : If you feel unwell, seek medical advice. Allow the victim to rest. Assure fresh air breathing. If symptoms persist call a doctor.
- First-aid measures after skin contact
- : Wash skin with mild soap and water. If symptoms persist call a doctor.
- First-aid measures after eye contact
- : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult an eye specialist.
- First-aid measures after ingestion
- Never give anything by mouth to an unconscious person. Rinse mouth. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact

- : Sensitive people may develop an allergic reaction.
- Symptoms/injuries after eye contact
- : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray, dry chemical powder. Alcohol resistant foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard

: Highly flammable liquid and vapour.

Hazardous decomposition products in case of fire

: During combustion: Toxic vapours may be released, Carbon oxides (CO, CO2).

5.3. Advice for firefighters

Precautionary measures fire

: Keep upwind.

Firefighting instructions

: Cool down the containers exposed to heat with a water spray. Contain the extinguishing fluids by bunding. Do not discharge into drains or the environment.

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Complete protective clothing. Self-contained breathing apparatus.

24/09/2018 EN (English) 2/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate ventilation. Remove all sources of ignition.

6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin and eyes. Do not smoke. No flames, no sparks. Eliminate all sources of

ignition. In case of important spillage: Clear the danger area. Only qualified personnel

equipped with suitable protective equipment may intervene.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Contain the spilled material by bunding. Do not allow product to spread into the environment.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Absorb spillage with: Sand/earth. inert absorbent material.

Collect all waste in suitable and labelled containers and dispose according to local legislation.

Methods for cleaning up : Wash non-recoverable remainder with large amounts of water.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

- : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Smoking is forbidden. No flames, no sparks. Eliminate all sources of ignition. Avoid the build-up of electrostatic charge. Use non-sparking tools. Ground/bond container and receiving equipment.
- Do not drink, eat or smoke in the workplace. Always wash hands after handling the product. Keep away from food, drink and animal feeding stuffs.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Hygiene measures

- : Store in a cool, well-ventilated place. Keep container tightly closed. Keep away from open flames, hot surfaces and sources of ignition. Protect from heat and direct sunlight. Proper grounding procedures to avoid static electricity should be followed.
- Incompatible materials : Oxidation agents. Peroxides. Alkali metals. Alkaline earth metals. Magnesium. Aluminium.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethanol (64-17-5)		
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (mg/m ³)	1920 mg/m³
United Kingdom	WEL TWA (ppm)	1000 ppm
Diethyl phthalate (84-66-2)		
United Kingdom	Local name	Diethyl phthalate
United Kingdom	WEL TWA (mg/m³)	5 mg/m³
United Kingdom	WEL STEL (mg/m³)	10 mg/m³
United Kingdom	Regulatory reference	EH40. HSE

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Chemical resistant gloves (according to European standard NF EN 374 or equivalent). Breakthrough time: refer to the recommendations of the supplier

Eye protection:

If there is a risk of liquid being splashed: Safety glasses with side shields

Respiratory protection:

24/09/2018 EN (English) 3/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

If the ventilation is suitable, it is not essential to wear respiratory equipment

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : No data available
Odour : Cacao. Vanilla.
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : No data available
Freezing point : No data available

Boiling point : > 35 °C (estimated value)

Flash point : 22 °C

Auto-ignition temperature : No data available : No data available Decomposition temperature Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C No data available Relative density : No data available Solubility : No data available : No data available Log Pow Viscosity, kinematic : No data available Viscosity, dynamic : No data available

Explosive properties : Explosive vapour/air mixtures may be formed.

Oxidising properties : Non oxidizing material according to EC criteria.

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

Flammable or explosive vapour/air mixtures may be formed.

10.4. Conditions to avoid

Heat. Heat sources. Direct sunlight. Avoid the build-up of electrostatic charge.

10.5. Incompatible materials

Oxidizing agent. Peroxides. Alkali metals. Alkaline earth metals. Magnesium. Aluminium.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg (95% Water) (OECD 401 method)
LC50 inhalation rat 116,9 - 124,7 mg/l/4h (vapours) (equivalent or similar to OECD Guideline 403)	
(R)-p-mentha-1,8-diene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg (OECD 423 method)

24/09/2018 EN (English) 4/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	- /
Diethyl phthalate (84-66-2)	
LD50 oral rat	> 5000 mg/kg (OECD 401 method)
LD50 dermal rat	11180 mg/kg
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Ethanol (64-17-5)	
LOAEL (oral, rat, 90 days)	3156 mg/kg bodyweight/day
NOAEL (oral, rat, 90 days)	<= 1730 mg/kg bodyweight/day
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
SECTION 12: Ecological inform	nation
12.1. Toxicity	
Acute aquatic toxicity	: Not classified (Based on available data, the classification criteria are not met)
Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.
Ethanol (64-17-5)	
LC50 fish	13500 - 15300 mg/l/96h (Pimephales promelas)

Chilornic aquatic toxicity	. Hairing to aquatic life with long lasting effects.
Ethanol (64-17-5)	
LC50 fish	13500 - 15300 mg/l/96h (Pimephales promelas)
EC50 Daphnia	> 10000 mg/l/48h (Daphnia magna)
ErC50 (algae)	275 mg/l/72h (Chlorella vulgaris)
NOEC (chronic)	> 10 mg/l/ 21 d (Da <mark>ph</mark> nia ma g na)
NOEC chronic algae	240 mg/l
(R)-p-mentha-1,8-diene (5989-27-5)	
LC50 fish	0,72 mg/l/96h (Pimephales promelas) (OECD 203 method)

EC50 Daphnia	0,307 mg/l/48h (Daphnia magna) (OECD 202 method)
ErC50 (algae)	0,32 mg/l/72h (Pseudokirchnerella subcapitata) (OECD 201 method)
Diethyl phthalate (84-66-2)	
LC50 fish	12 - 29 mg/l (96 Hours)
EC50 Daphnia	90 mg/l/48h (Daphnia magma) (EPA-660/3-75-009)
ErC50 (algae)	21 mg/l/96h (Scenedesmus subspicatus) (OECD 201 method)
NOEC (acute)	10 - 43 mg/l (48 Hours) (Daphnia)
NOEC (chronic)	25 mg/l (21 days) (Daphnia)

12.2. Persistence and degradability

Ethanol (64-17-5)	
Persistence and degradability	Readily biodegradable. 70 % biodegradation. (20 days).
Biochemical oxygen demand (BOD)	0,93 - 1,67 g O2/g substance
Chemical oxygen demand (COD)	1,99 g O2/g substance
(R)-p-mentha-1,8-diene (5989-27-5)	
Persistence and degradability	Readily biodegradable. (OECD 301D method).
Diethyl phthalate (84-66-2)	
Persistence and degradability	Readily biodegradable. 94,6 % biodegradation. / 28 days.
12.3. Bioaccumulative potential	

Ethanol (64-17-5)	
BCF	0,66
Log Pow	-0,35 (20°C)
Bioaccumulative potential	Not potentially bioaccumulable.
(R)-p-mentha-1,8-diene (5989-27-5)	
Log Pow	4,38 (OECD 117 method)

24/09/2018 EN (English) 5/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diethyl phthalate (84-66-2)	
BCF	13,14 l/kg
Log Kow	2,2

12.4. Mobility in soil

Ethanol (64-17-5)	
Ecology - soil	Small adsorption. Product evaporates rapidly when in contact with the air.
Diethyl phthalate (84-66-2)	
Log Koc	2,34 (21°C) (OECD 121 method)

12.5. Results of PBT and vPvB assessment

Component	
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Conform to current legislation, regulations and orders.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID			
14.1. UN number							
1993	1993	1993	1993	1993			
14.2. UN proper shipp	14.2. UN proper shipping name						
FLAMMABLE LIQUID, N.O.S. (Ethanol)	FLAMMABLE LIQUID, N.O.S. (Ethanol)	Flammable liquid, n.o.s. (Ethanol)	FLAMMABLE LIQUID, N.O.S. (Ethanol)	FLAMMABLE LIQUID, N.O.S. (Ethanol)			
14.3. Transport hazard class(es)							
3	3	3	3	3			
3		3	3	3			
14.4. Packing group							
II II	Ш	II	II	II			
14.5. Environmental hazards							
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No			
No supplementary information available							

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1

Special provisions (ADR) : 274, 601, 640D

Limited quantities (ADR) : 11 Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T7

(ADR)

Portable tank and bulk container special

provisions (ADR)

: TP1, TP8, TP28

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation : S2, S20

(ADR)

Hazard identification number (Kemler No.) : 33

24/09/2018 EN (English) 6/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Orange plates : 33

Tunnel restriction code (ADR) : D/E

- Transport by sea

Special provisions (IMDG) : 274
Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP1, TP8, TP28

EmS-No. (Fire): F-EEmS-No. (Spillage): S-EStowage category (IMDG): BMFAG-No: 128

- Air transport

PCA Excepted quantities (IATA) : E2 : Y341 PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) 1L PCA packing instructions (IATA) : 353 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3

ERG code (IATA)

Inland waterway transport
 Classification code (ADN)

Special provisions (ADN) : 274, 601, 640D

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : V
Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : F1

Special provisions (RID) : 274, 601, 640D

Limited quantities (RID) : 1L Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions : T7

(RID)

Portable tank and bulk container special

provisions (RID)

: TP1, TP8, TP28

: 3H

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

24/09/2018 EN (English) 7/8

ICK-SHOP.NI

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources

: ECHA - European Chemicals Agency. SDS of suppliers.

Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1			
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3			
Asp. Tox. 1	Aspiration hazard, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Flam. Liq. 2	Flammable liquids, Category 2			
Flam. Liq. 3	Flammable liquids, Category 3			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
Skin Sens. 1	Skin sensitisation, Category 1			
H225	Highly flammable liquid and vapour.			
H226	Flammable liquid and vapour.			
H304	May be fatal if swallowed and enters airways.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H319	Causes serious eye irritation.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
EUH208	Contains . May produce an allergic reaction.			

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 2	H225	On basis of test data
Eye Irrit. 2	H319	Calculation method
Aquatic Chronic 3	H412	Calculation method

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

24/09/2018 EN (English) 8/8